

ו' אב תשע"ט
07 אוגוסט 2019

לכבוד:

פרופ' מיכאל גוזין

בית ספר לכימיה

אוניברסיטת תל-אביב

שלום רב,

הנדון: דר' אריק מימון – העלאה בדרגה

ועדת דירוג המחקר והפיתוח של הקריה למחקר גרעיני - נגב, שוקלת את קידומו של **דר' אריק מימון** לדרגה א+. דירוג המחקר והפיתוח כולל דרגות מ-ג' עד א+ (בהקבלה לדרגות מרצה עד פרופסור מן המניין בדירוג הסגל האקדמי הבכיר). דרגה א+ מקבילה לדרגת פרופסור מן המניין. מעובד המקודם לדרגה זו נדרשת היכולת לבצע ולהוביל מחקר ופיתוח מדעי טכנולוגי ברמה המתאימה. בכלל זה יילקחו בחשבון הישגיו העצמאיים במחקר ופיתוח של המועמד, יכולתו להוביל מגמות חדשות במחקר, כושרו להגדיר משימות ולהוביל צוותים מקצועיים, ויכולתו לקיים ולפתח קשרים מקצועיים עם מוסדות מחקר ופיתוח בארץ ובח"ל.

נכיר לך תודה אם תואיל להעריך את התאמתו של **דר' אריק מימון** לקריטריונים אלו. הקריה למחקר גרעיני היא מוסד מחקר ופיתוח שחלק מעבודות המו"פ המבוצעות בו הן פנימיות. על כן נבקש לבסס את הערכתך בעיקר על איכות פרסומיו של המועמד ולא על כמותם, ועל היכרותך (אם קיימת) עם עבודתו ויכולותיו.

אנו מודעים לכך שכתובת חוות הדעת כרוכה בהשקעת זמן ומאמץ מצדך ומודים לך מראש על שיתוף הפעולה.

חוות דעתך תשמר בסודיות ותשמש לצרכי הועדה בלבד.

בברכה



ד"ר אוהד לוי

יו"ר ועדת הדירוג

CURRICULLUM VITAE

• Personal Details:

Name: Maimon Eric

Address: 38 Hamered Str., Beer-Sheva, 84760, Israel

Tel: +972-77-4030277, +972-50-6239259

Present Employment: Chemistry Dept., NRCN, POB. 9001, Beer-Sheva, 84190, Israel

Tel.: 972-8-6567431, Fax: 972-8-6568686

Email: emymon@post.bgu.ac.il

Date & place of birth: 13.12.1963, Beer Sheva, Israel

Army service: 02.02.1982-27.01. 1985 (paramedic)

Family sit.: married + 1

• Education:

1986-1989: B.Sc. in Chemistry at Ben Gurion University of the Negev, Beer-Sheva, Israel

1989-1992: M.Sc. in Chemistry at Ben Gurion University of the Negev, Beer-Sheva, Israel. **Supervisor:** Prof. Dany Kost. **Thesis subject:** The chiral S-N axis Sulfanamide.

1997-2002: Ph.D. in chemistry at Ben-Gurion Univ. of the Negev, Beer-Sheva, Israel. **Supervisors:** Prof. Dan Meyerstein and Prof. Haim Cohen
Thesis subject: Chemical properties of transition metal complexes with macrocyclic and linear tertiary polyamine ligands.

• Employment:

2011-present: Head of Radiation Chemistry group, Chemistry dept., NRCN

2010-2011: Visiting Senior researcher at the *Dept. of Material Science and Eng., Univ. of Maryland, USA* (sabbatical)

1997-2010: Head of the Analytical Laboratory, NRCN

1995-1997: Manager of Development & Research, Chemada Industries.

1992-1995: Manager of Analytical Laboratory, Luxemburg Industries.

• **Organizing roles in International Conferences:**

1. Organizer of the 28th Miller Conference on Radiation Chemistry, Dead Sea, Israel, 2013

• **Memberships/Fellowships**

1. Israeli Analytical Chemical Society
2. Israel Chemical Society
3. Israeli Society for Research of Radicals and Oxygen species
4. American Chemical Society

• **Educational Activities:**

(a) **Research Students:**

Towards Ph.D. degree in Chemistry at Ben Gurion University of the Negev:

1. Dr. Yael Albo (co-supervisor Prof. Dan Meyerstein) – graduated 2008
2. Dr. Yair Lavi (co-supervisor Prof. Dan Meyerstein) – graduated 2009
3. Dr. Liubov (Luba) Kats (co-supervisor Prof. Dan Meyerstein) – graduated 2011
4. Dr. Guy Yardeni (co-supervisors Prof. Dan Meyerstein and Dr. Israel Zilbermann) – graduated 2012
5. Dr. Inna Popivker (advisor. Supervisors - Prof. Dan Meyerstein and Dr. Israel Zilbermann) – graduated 2013

Towards M.Sc. degree in Chemistry at Ben Gurion University of the Negev:

1. Mrs. Nina Buzaglo (co-supervisor Prof. Dan Meyerstein) – graduated 2011
2. Ms. Smadar Attia (co-supervisor Prof. Dan Meyerstein) – graduated 2013
3. Mrs. Lena Mikhailovich-Jivin (co-supervisors Prof. Dan Meyerstein and Dr. Israel Zilbermann) – graduated 2013

Since 2005: Supervising over 20 students towards practical engineering diploma at the Technological College, Beer Sheva, Israel

(b) Teaching:

2011-present – Instrumental Chemistry course for 3rd year chemistry students at Ben Gurion University

2011-2014 – General Chemistry B course for 1st year Life Science and Geology students at Ben Gurion University

• Scientific Publications

h-index of list of publications according to ISI: 9

Refereed articles in scientific journals

1. **Maimon, E.^{PI}** Zilbermann, I.^C Cohen, Haim ^C; Meyerstein, Dan ^{PI}, Kinetic stabilization of the Cu(III) complex with 1,4,8,11-tetramethyl-1,4,8,11-tetraazacyclotetradecane in aqueous solutions. *Book of Abstracts, 212th ACS National Meeting, Orlando, FL, August 25-29 (1996), INOR-117.*
2. Blanca, M. B.-D.^S; Maimon, E.^S; Kost, D.^{PI}, The Chiral S-N Axis in Sulfenamides: Enantiomeric Resolution, Direct Demonstration of Optical Activity, and Kinetics of Interconversion. *Angew. Chem., Int. Ed. Engl.* 1997, 36, 2216-2219, (18 citations, IF 11.336, 11/148, Q1).
3. Zilbermann, I.^{PI}; **Maimon, E.^S**; Cohen, H.^{PI}; Van Eldik, R.^C; Meyerstein, D.^{PI}, Cooperative Oxidation of Edta by Ni(III) and Dioxygen. A Pulse Radiolysis Study. *Inorg. Chem. Commun.* 1998, 1, 46-48, (4 citations, IF 2.062, 18/45, Q2).
4. **Maimon, E.^S**; Zilbermann, I.^{PI}; Cohen, H.^C; Meyerstein, D.^{PI}, Trivalent Copper Complexes with 1,4,8,11-Tetramethyl-1,4,8,11-Tetraazacyclotetradecane in Aqueous Solutions. A Pulse Radiolysis and Electrochemical Study. *J. Inclusion Phenom. Macrocyclic Chem.* 2001, 41, 179-184, (2 citations, IF 1.095, 118\166, Q3).
5. **Maimon, E.^S**; Zilbermann, I.^{PI}; Golub, G.^C; Ellern, A.^C; Shames, A. I.^C; Cohen, H.^C; Meyerstein, D.^{PI}, Comproportionation and Redox Catalyzed Isomerization of Cu(II)(1R,4S,8R,11S-1,4,8,11-Tetramethyl-1,4,8,11-Tetraazacyclotetradecane)²⁺ in Aqueous Solutions. *Inorg. Chim. Acta* 2001, 324, 65-72, (14 citations, IF 2.041, 20/45, Q2).
6. Zilbermann, I.^{PI}; Hayon, J.^C; **Maimon, E.^{PI}**; Ydgar, R.^T; Korin, E.^C; Bettelheim, A.^{PI}, Electroprecipitation of Ag(II)/Ag(III) Tetraphenylsulfonate Porphyrin and Electrocatalytic Behavior of the Films. *Electrochem. Commun.* 2002, 4, 862-865, (7 citations, IF 4.287, 3/27, Q1).
7. Raznoshik, H.^S; Zilberman, I.^{PI}; **Maimon, E.^{PI}**; Ellern, A.^C; Cohen, H.^C; Meyerstein, D.^{PI}, Reduction of the Allylic Substituents in NiI(1,8-Dipropenyl-1,4,8,11-Tetraazacyclotetradecane)⁺ by the Central Ni(I) in Aqueous Solutions. *Inorg. Chem.* 2003, 42, 7156-7161, (2 citations, IF 4.794, 4/45, Q1).
8. Saphier, O.^{PI}; Silberstein, T.^C; Shames, A. I.^{PI}; Likhtenshtein, G. I.^C; **Maimon, E.^C**; Mankuta, D.^C; Mazor, M.^C; Katz, M.^C; Meyerstein, D.^C; Meyerstein, N.^{PI}, The Reduction of a Nitroxide Spin Label as a Probe of Human Blood Antioxidant Properties. *Free Radical Res.* 2003, 37, 301-308, (13 citations, IF 2.989, 131/291, Q2).
9. Shandalov, E.^S; Zilbermann, I.^{PI}; **Maimon, E.^{PI}**; Nahmani, Y.^T; Cohen, H.^{PI}; Adar, E.^C; Meyerstein, D.^{PI}, Mechanism of Reduction of 2,2-Dibromomethyl-1,3-Propanediol by NiI-Tetraazamacrocyclic Complexes in Aqueous Solution - a Pulse Radiolysis and Electrochemical Study. *Eur. J. Inorg. Chem.* 2003, 4105-4109, (0 citations, IF 2.965, 10/45, Q1).

10. Shamir, D.^S; Zilbermann, I.^{PI}; Maimon, E.^{PI}; Meyerstein, D.^{PI}, Oxidation of CH₃NH₂ and (CH₃)₂NH by NiIII(Cyclam)(H₂O)₂³⁺ in Aqueous Solutions. *Eur. J. Inorg. Chem.* 2004, 4002-4005, (0 citations, IF 2.965, 10/45, Q1).
11. Shandalov, E.^S; Zilbermann, I.^{PI}; Maimon, E.^{PI}; Nahmani, Y.^T; Cohen, H.^C; Adar, E.^C; Meyerstein, D.^{PI}, Radical Catalyzed Debromination of Bromo-Alkanes by Formate in Aqueous Solutions Via a Hydrogen Atom Transfer Mechanism. *Tetrahedron Lett.* 2004, 45, 989-992, (2 citations, IF 2.391, 24/58, Q2).
12. Zilbermann, I.^{PI}; Maimon, E.^C; Ydgar, R.^T; Shames, A. I.^C; Korin, E.^C; Soifer, L.^C; Bettelheim, A.^{PI}, Spectroscopic and Electrochemical Characterization of Solutions and Films of a New Redox Couple: Co(II)/Co(III) N-Confused Porphyrin. *Inorg. Chem. Commun.* 2004, 7, 1238-1241, (7 citations, IF 2.062, 18/45, Q2).
13. Albo, Y.^S; Maimon, E.^{PI}; Zilbermann, I.^{PI}; Saphier, M.^C; Cohen, H.^{PI}; Meyerstein, D.^{PI}, The Redox Chemistry of (N1-[3-(2-Aminoethylimino)-1,1-Dimethylbutyl]Ethane-1,2-Diamine) Nickel(II) Perchlorate, Ni(II)L¹(ClO₄)₂, in Aqueous Solutions - a Pulse Radiolytic and an Electrochemical Study. *Eur. J. Inorg. Chem.* 2005, 4335-4340, (0 citations, IF 2.965, 10/45, Q1).
14. Maimon, E.^{PI}; Zilbermann, I.^C; Cohen, H.^C; Kost, D.^C; van Eldik, R.^C; Meyerstein, D.^{PI}, Mechanism of Isomerization of Ni(Cyclam) in Aqueous Solutions. *Eur. J. Inorg. Chem.* 2005, 4997-5004, (2 citations, IF 2.965, 10/45, Q1).
15. Zilbermann, I.^{PI}; Maimon, E.^{PI}; Cohen, H.^{PI}; Meyerstein, D.^{PI}, Redox Chemistry of Nickel Complexes in Aqueous Solutions. *Chem. Rev. (Washington, DC, U. S.)* 2005, 105, 2609-2625, (36 citations, IF 45.661, 1/148, Q1).
16. Shamir, D.^S; Zilbermann, I.^{PI}; Maimon, E.^{PI}; Shames, A. I.^C; Cohen, H.^C; Meyerstein, D.^{PI}, Pyrophosphate and ATP as Stabilizing Ligands for High-Valent Nickel Complexes. *Eur. J. Inorg. Chem.* 2006, 523-525, (0 citations, IF 2.965, 10/45, Q1).
17. Zilbermann, I.^{PI}; Meron, E.^C; Maimon, E.^{PI}; Soifer, L.^C; Elbaz, L.^S; Korin, E.^C; Bettelheim, A.^{PI}, Tautomerism in N-Confused Porphyrins as the Basis of a Novel Fiber-Optic Humidity Sensor. *J. Porphyrins Phthalocyanines* 2006, 10, 63-66, (9 citations, IF 1.364, 77/148, Q3).
18. Shamir, D.^S; Zilbermann, I.^{PI}; Maimon, E.^{PI}; Cohen, H.^C; Meyerstein, D.^{PI}, Reductive Nitrosation of Methyl Amine Ligated to a Nickel(III) Complex. *Inorg. Chem. Commun.* 2007, 10, 57-60, (3 citations, IF 2.062, 18/45, Q2).
19. Kurzion-Zilbermann, T.^{PI}; Masarwa, A.^C; Maimon, E.^{PI}; Cohen, H.^{PI}; Meyerstein, D.^{PI}, Mechanism of Reaction of Alkyl Radicals with Ni^{II}L²⁺ Complexes in Aqueous Solutions. *Dalton Transactions* 2007, 3959-3965, (6 citations, IF 4.097, 6/45, Q1).
20. Burg, A.^{PI}; Maimon, E.^{PI}; Cohen, H.^C; Meyerstein, D.^{PI}, Ligand Effects on the Chemical Activity of Copper(I) Complexes: Outer- and Inner-Sphere Oxidation of CuI. *Eur. J. Inorg. Chem.* 2007, 530-536, (1 citation, IF 2.965, 10/45, Q1).
21. Shamir, D.^S; Zilbermann, I.^{PI}; Maimon, E.^{PI}; Gellerman, G.^C; Cohen, H.^C; Meyerstein, D.^{PI}, Reductive Nitrosation of Peptides Ligated to High-Valent Metal Cations. *Eur. J. Inorg. Chem.* 2007, 5029-5031, (5 citations, IF 2.965, 10/45, Q1).

22. Albo, Y.^S; Saphier, M.^{PI}; **Maimon, E.^{PI}**; Zilbermann, I.^C; Meyerstein, D.^{PI}, A New Chelate Ligand Designed for the Uranyl Ion. *Coord. Chem. Rev.* 2009, 253, 2049-2055, (2 citations, IF 12.098,1/45, Q1).
23. Eckshtain, M.^S; Zilbermann, I.^{PI}; Mahammed, A.^C; Saltsman, I.^C; Okun, Z.^S; **Maimon, E.^C**; Cohen, H.^C; Meyerstein, D.^{PI}; Gross, Z.^{PI}, Superoxide Dismutase Activity of Corrole Metal Complexes. *Dalton Trans.* 2009, 7879-7882, (34 citations, IF 4.097, 6/45, Q1).
24. Yardeni, G.^S; Zilbermann, I.^{PI}; **Maimon, E.^{PI}**; Cohen, H.^C; Meyerstein, D.^{PI}, A Novel Ce(III)-Cyclam Type Complex and Its Redox Chemistry in Aqueous Solutions. *Res. Chem. Intermed.* 2009, 35, 543-554, (0 citations, IF 1.540, 69/148, Q2).
25. Popivker, I.^S; Zilbermann, I.^{PI}; **Maimon, E.^C**; Matana, Y.^T; Cohen, H.^{PI}; Meyerstein, D.^{PI}, On the Mechanisms of the Reaction of Dodecatungstophosphate with Alkyl Radicals in Aqueous Solutions. *Inorg. Chim. Acta* 2010, 363, 4202-4206, (0 citations, IF 2.041, 20/45, Q2).
26. Kats, L.^S; **Maimon, E.^{PI}**; Meyerstein, D.^{PI}, Substantial Inverse Isotope Effects in the Hydrogen Atom Abstraction from [(L)ClRh(III)[Bond]H/D]⁺ Macrocyclic Complexes by Methyl Radicals in Aqueous Solutions. *Chem. - Eur. J.* 2010, 16, 460-463, (2 citations, IF 5.696, 22/148, Q1).
27. Popivker, I.^S; Zilbermann, I.^{PI}; **Maimon, E.^{PI}**; Shamir, D.^C; Meyerstein, N.^C; Meyerstein, D.^{PI}, On the Reaction Mechanism of MoS₄²⁻ with Nitric Oxide. *Inorg. Chem. Commun.* 2010, 13, 589-592, (0 citations, IF 2.062, 18/45, Q2).
28. Rasnoshik, H.^S; Masarwa, A.^C; Cohen, H.^C; Zilbermann, I.^{PI}; **Maimon, E.^{PI}**; Meyerstein, D.^{PI}, On the Mechanism of Reduction of Maleate and Fumarate by Ni(I)(1,4,8,11-Tetraazacyclotetradecane)⁺ in Aqueous Solutions. *Dalton Trans.* 2010, 39, 823-833, (1 citation, IF 4.097, 6/45, Q1).
29. Schutz, O.^S; Masarwa, A.^C; Zilbermann, I.^{PI}; **Maimon, E.^{PI}**; Cohen, H.^{PI}; Meyerstein, D.^{PI}, On the Mechanism of Reduction of Maleate by a Co(I) Complex with a Macrocyclic Ligand in Aqueous Solutions. *J. Coord. Chem.* 2010, 63, 2528-2541, (0 citations, IF 2.212, 15/45, Q2).
30. Shamir, D.^{PI}; Zilbermann, I.^C; **Maimon, E.^{PI}**; Shames, A. I.^C; Cohen, H.^C; Meyerstein, D.^{PI}, Anions as Stabilizing Ligands for Ni(III)(Cyclam) in Aqueous Solutions. *Inorg. Chim. Acta* 2010, 363, 2819-2823, (0 citations, IF 2.041, 20/45, Q2).
31. Popivker, I.^S; Zilbermann, I.^{PI}; **Maimon, E.^{PI}**; Cohen, H.^C; Meyerstein, D.^{PI}, The One-Electron Reduction of a Multicentred Iron(III) Polyoxometallate. A Pulse Radiolysis Study. *Inorg. Chem. Commun.* 2011, 14, 1390-1392, (1 citations, IF 2.062, 18/45, Q2).
32. Lavi, Y.^S; Burg, A.^C; **Maimon, E.^{PI}**; Meyerstein, D.^{PI}, Electron Exchange Columns through Entrapment of a Nickel Cyclam in a Sol-Gel Matrix. *Chem. - Eur. J.* 2011, 17, 5188-5192, (1 citation, IF 5.696, 22/148, Q1).
33. Ittah, E.^S; Shamir, D.^{PI}; Zilbermann, I.^{PI}; **Maimon, E.^C**; Yardeni, G.^C; Shames, A. I.^C; Meyerstein, D.^{PI}, Pyrophosphate as a Stabilizer of Ni(III) Ions in Aqueous Solutions. *Inorg. Chim. Acta* 2013, 405, 72-76, (0 citations, IF 2.041, 20/45, Q2).

34. Popivker, I.^S; Zilbermann, I.^{PI}; **Maimon, E.^{PI}**; Cohen, H.^C; Meyerstein, D.^{PI}, The "Fenton Like" Reaction of MoO_4^{3-} Involves Two H_2O_2 Molecules. *Dalton Trans.* 2013, 42, 16666-16668, (3 citations, IF 4.097, 6/45, Q1).
35. Yardeni, G.^{PI}; Zilbermann, I.^{PI}; **Maimon, E.^C**; Kats, L.^C; Bar-Ziv, R.^S; Meyerstein, D.^{PI}, H/D Kinetic Isotope Effect as a Tool to Elucidate the Reaction Mechanism of Methyl Radicals with Glycine in Aqueous Solutions. *J. Phys. Chem. A* 2013, 117, 13996-13998, (0 citations, IF 2.775, 50/136, Q2).
36. Attia, S.^S; Shames, A.^C; Zilbermann, I.^{PI}; Goobes, G.^C; **Maimon, E.^{PI}**; Meyerstein, D.^{PI}, Covalent Binding of a Nickel Macrocyclic Complex to a Silica Support: Towards an Electron Exchange Column. *Dalton Trans.* 2014, 43, 103-110, (1 citation, IF 4.097, 6/45, Q1).
37. Schutz, O.^S; Masarwa, A.^C; Zilbermann, I.^{PI}; **Maimon, E.^{PI}**; Cohen, H.^{PI}; Meyerstein, D.^{PI}, On the Mechanism of Reduction of Maleate Ions by Ni(I) Complexes with Tetraazamacrocyclic Ligands in Aqueous Solutions. *Eur. J. Inorg. Chem.* 2014, 2014, 932-940, (0 citations, IF 2.965, 10/45, Q1).
38. Gifford, I.^S; Vreeland, W.^S; Grdanovska, S.^C; Burgett, E.^C; Kalinich, J.^C; Vergara, V.^C; Wang, C. K. C.^C; **Maimon, E.^{PI}**; Poster, D.^{PI}; Al-Sheikhly, M., Liposome-Based Delivery of a Boron-Containing Cholesteryl Ester for High-Let Particle-Induced Damage of Prostate Cancer Cells: A Boron Neutron Capture Therapy Study. *Int. J. Radiat. Biol.* 2014, 90, 480-485, (1 citation, IF 1.837, 3/33, Q1).
39. Albo Y.^{PI}; Buzaglo N.^S; **Maimon E.^{PI}**, Meyerstein D.^{PI}, Design of a ligand suitable for sensitive uranyl analysis in aqueous solutions, *J. Coord. Chem.* 2015, (0 citations, IF 1.795, 24/46, Q3).
40. Burg A,^{PI} Shamir D,^C Apelbaum L,^S Albo Y,^{PI} **Maimon E,^C** and Meyerstein D ^{PI}, Electrocatalytic Oxidation of Amines by Ni(1,4,8,11-tetraazacyclotetradecane)₂⁺ Entrapped in Sol-Gel Electrodes, *European Journal of Inorganic Chemistry* (2016), 2016(4), 459-463. (0 citations, IF 2.444, 13/46, Q2).
41. Yanus, Levy R.^S Yardeni, G.^C **Maimon, E.^C** Saphier, M.^C Zilbermann, I.^C Meyerstein, D.^{PI}. BH_4^- -Promoted, Radical-Initiated, Catalytic Oxidation of $(\text{CH}_3)_2\text{SO}$ by N_2O in Aqueous Solution, *European Journal of Inorganic Chemistry* (2016), 2016(8), 1161-1164. (0 citations, IF 2.444, 13/46, Q2).
42. Mizrahi, A.^{PI} Zilbermann, D. ^{PI} **Maimon, E.^C** Cohen, H. ^C and Meyerstein, D. ^{PI}, Different oxidation mechanisms of MnII(polyphosphate)_n by the radicals NO_2 and CO_3 , *Journal of coordination Chemistry* (2016), 69, 1709- 1721. (0 citations, IF 1.795, 24/46, Q3).
43. Samuni A,^{PI} **Maimon E,^{PI}** Goldstein S. ^{PI} Nitroxides catalytically inhibit nitrite oxidation and heme inactivation induced by H_2O_2 , nitrite and metmyoglobin or methemoglobin. *Free Radical Biology & Medicine* (2016). 101, 491-499. (4 citations, IF 5.606, 42/290, Q1).
44. Samuni A,^{PI} **Maimon E,^{PI}** Goldstein S, ^{PI} .Mechanism of HRP-catalyzed nitrite oxidation by H_2O_2 revisited: Effect of nitroxides on enzyme inactivation and its catalytic activity. *Free Radical Biology & Medicine* (2017). 108, 832-839 (0 citations, IF 5.606, 42/290, Q1).

45. Samuni A.^{PI} **Maimon E.**^{PI} Goldstein S,^{PI} Nitroxides protect horseradish peroxidase from H₂O₂-induced inactivation and modulate its catalase-like activity Quick View Other Sources. *Biochimica et Biophysica Acta. General Subjects* (2017), 1861(8). 2060-2069. (0 citations, IF 4.702, 56/290, Q1).
46. Albo, Y.^{PI} Shandalov, E.^C, Hayoun, L.^C, Zilbermann, I.^C, **Maimon, E.**^{PI}, Meyerstein, D.^{PI}, Homogeneous and heterogeneous electrocatalytic reduction of halo-organic compounds by (NiIII Li)²⁺ (Li = tetraaza-macrocyclic ligand) in aqueous solutions Quick View Other Sources, *Inorganica Chimica Acta* (2017), 466, 502-509. (0 citations, IF 2.002, 20/46, Q2).
47. Burg Ariela,^{PI} Wolfer Yaniv^C, Shamir Dror^C, Kornweitz Haya,^{PI} Albo Yael^C, **Maimon Eric**^C and Meyerstein Dan^{PI}, The role of carbonate in electro-catalytic water oxidation by using Ni(1,4,8,11-tetraazacyclotetradecane)²⁺ *Dalton Trans.*, 2017, 00, 1–6. (0 citations, IF 4.097, 6/45, Q1).
48. Mizrahi, A.^{PI} Zilbermann, D.^{PI} **Maimon, E.**^C Kornweitz, Haya.^C Cohen, H.^C and Meyerstein, D.^{PI}, Mechanistic Studies on the Role of [CuII(CO₃)_n]_{2-2n} as a Water Oxidation Catalyst: Carbonate as a Non-Innocent Ligand, *Chemistry - A European Journal* (2018), 24(5), 1088-1096. (1 citations, IF 5.317, 29/166, Q1).
49. Shamir Dror^{PI}, Kornweitz Haya^C, Israel Zilbermann^C, Alexander I. Shames^C, Radion Vainer^C, Eitan J.C. Borjovich^C, Burg Ariela^C, Albo Y^C, Yardeni G^C Meyerstein Dan^{PI} and **Maimon Eric**^{PI}, Copper (II) catalyses the reduction of perchlorate by both formaldehyde and by dihydrogen in aqueous solutions. *J. Coord. Chem.* 2018, Accepted
50. Lerner N^S, Shamir Dror^C, Meyerstein Dan^C and **Maimon Eric**^{PI}, A Chemically Modified Silica-gel as an Ion Exchange Resin for Separation and Pre-concentration of Actinides and Lanthanides. *Zeitschrift für anorganische und allgemeine Chemie.* 2018, Submitted
51. **Maimon E.**^{PI} Samuni A,^{PI} Goldstein S,^{PI} Studying mechanism of radical reactions: From radiation to nitroxides as research tools *Radiation Physics and Chemistry* (2018), 143, 14-19 (0 citations, IF 1.315, 8/33, Q1).
52. **Maimon E.**^{PI} Samuni A,^{PI} Goldstein S,^{PI}. Nitrogen Dioxide Reaction with Nitroxide Radical Derived from Hydroxamic Acids: The Intermediacy of Acyl Nitroso and Nitroxyl (HNO) *Journal of physical Chemistry A* (2018), 122, 3747-3753 (0 citations, IF 2.847, 59/146, Q2).
53. **Maimon E.**^{PI} Samuni A,^{PI} Goldstein S,^{PI}, A kinetic study of the oxidation of hydroxamic acids by compounds I and II of horseradish peroxidase: Effect of transition metal ions. *J. Coord. Chem.* 2018, Accepted
54. **Maimon E.**^{PI} Ana Lerner,^S Samuni A,^{PI} Goldstein S,^{PI} Direct Observation of Acyl Nitroso Compounds in Aqueous Solution and the Kinetics of Their Reactions with Amines, Thiols, and Hydroxamic Acids *Journal of physical Chemistry A* (2018), 122, 7006-7013 (0 citations, IF 2.847, 59/146, Q2).
55. Mizrahi, A.^{PI} **Maimon, E.**^C Cohen, H.^C Zilbermann, D.^{PI} Reactions of carbonate radical anion with amino-carboxylate complexes of manganese(II) and iron(III). *J. Coord. Chem.* 2018, Accepted

• **Presentations at Meetings and Invited Seminars**

(a) Presentation of papers at conferences/Meetings (oral or poster)

1. **E. Maimon**, I. Zilbermann, H. Cohen and D. Meyerstein, Kinetic stabilization of a Cu(III) complex with a tetraaza macrocyclic ligand with tertiary nitrogens in aqueous solutions, Int. Macrocyclic Compounds Meeting, Montecatini, 1996
2. **E. Maimon**, I. Zilbermann, H. Cohen and D. Meyerstein, Kinetic stabilization of a Cu(III) complex with a tetraaza macrocyclic ligand with tertiary nitrogens in aqueous solutions, ACS., Orlando, 1996
3. I. Zilbermann, **E. Maimon**, R. van Eldik, H. Cohen and D. Meyerstein, Mechanistic insight into Trans-III - Trans-I isomerization of (cyclam)Ni(I)(CO)⁺. A pulse radiolysis study, Int. Macrocyclic Compounds Meeting, Seoul, 1997
4. I. Zilbermann, **E. Maimon**, R. van Eldik, H. Cohen and D. Meyerstein, Mechanistic insight into Trans-III - Trans-I isomerization of (cyclam)Ni(I)(CO)⁺. A pulse radiolysis study, The Miller Conf.-Rad. Chemistry-Windermere, 1997
5. **E. Maimon**, I. Zilbermann, R. van Eldik, H. Cohen and D. Meyerstein, Mechanistic insight into Trans-III - Trans-I isomerization of (cyclam)Ni(I)(CO)⁺. A pulse radiolysis study. A pulse radiolysis study, 4-th FGIPS Meeting in Inorganic Chemistry, Corfu, 1997
6. **E. Maimon**, I. Zilbermann, G. Golub, A. Ellem, H. Cohen and D. Meyerstein, Comproportionation and redox catalyzed isomerisation of Cu(II)(1R,4S,8R,11S-1,4,8,11-tetramethyl-tetraaza-cyclotetradecane)²⁺ in aqueous solutions, 4-th FGIPS Meeting in Inorganic Chemistry, Corfu, 1997
7. I. Zilbermann, **E. Maimon**, H. Cohen, R. Van Eldik and D. Meyerstein, Cooperative oxidation of EDTA by Ni(III) and dioxygen. A pulse radiolysis study, 4-th FGIPS Meeting in Inorganic Chemistry, Corfu, 1997
8. **E. Maimon**, I. Zilbermann, H. Cohen, D. Meyerstein, Kinetic stabilization of a Cu(III) complex with a tetraazamacrocyclic ligand with tertiary nitrogens in aqueous solution. A pulse radiolysis study, 62nd Meeting of Israel Chemical Society, Tel-Aviv, Israel, 1997
9. **E. Maimon**, I. Zilbermann, R.V. Eldik, H. Cohen, D. Meyerstein, The Mechanism of Isomerization of (cyclam)Ni(I)(CO)⁺ A pulse radiolysis study, 62nd Meeting of Israel Chemical Society, Tel-Aviv, Israel, 1997
10. I. Zilbermann, **E. Maimon**, R.V. Eldik, H. Cohen, D. Meyerstein, Cooperative oxidation of EDTA by Ni(III) and dioxygen. A pulse radiolysis study, 62nd Meeting of Israel Chemical Society, Tel-Aviv, Israel, 1997

11. **E. Maimon**, I. Zilbermann, G. Golub, A. Ellem, H. Cohen, D. Meyerstein, Comproportionation and redox catalyzed isomerisation of Cu(II)(1R,4S,8R,11S-1,4,8,11-tetramethyl-terraazacyclotetradecane)²⁺ in aqueous solutions, *Int. Coord. Chem. Conf., Firenze, 1998*
12. **E. Maimon**, I. Zilbermann, G. Golub, A. Ellern, H. Cohen, D. Meyerstein, Comproportionation and redox catalyzed isomerization of trans I-Cu(II)TMC in aqueous solution, 63rd Meeting of Israel Chemical Society, Tel-Aviv, Israel, **1998**
13. I. Zilbermann, **E. Maimon**, H. Cohen, R. Van Eldik and D. Meyerstein, Cooperative oxidation of EDTA by Ni(III) and dioxygen. A pulse radiolysis study, *Int. Coord. Chem. Conf., Firenze, 1998*
14. I. Zilbermann, **E. Maimon**, H. Cohen and D. Meyerstein, Mechanism of Isomerization of Trans I - Ni(III) Cyclam in Aqueous Solutions, *Int. Macrocyclic Compounds Meeting, Barcelona, 1999*
15. H. Raznoshik, I. Zilbermann, **E. Maimon**, H. Cohen and D. Meyerstein, Chemical properties of a nickel(II) cyclam complex with bis-allylic substituents, *Int. Macrocyclic Compounds Meeting, St. Andrews, 2000*
16. H. Raznoshik, I. Zilbermann, **E. Maimon**, H. Cohen and D. Meyerstein, Chemical properties of a nickel(II) cyclam complex with bis-allylic substituents, *Int. Coord. Chem. Conf., Edinburgh, 2000*
17. I. Zilbermann, **E. Maimon**, H. Cohen and D. Meyerstein, Mechanism of Isomerization of Trans Ni(III)Cyclam in Aqueous Solutions, *Int. Coord. Chem. Conf., Edinburgh, 2000*
18. T. Kurzion-Zilbermann, **E. Maimon**, N. Shaham, Y. Matana, I. Zilbermann, H. Cohen, D. Meyerstein, Ethyl ligation within tetraaza nickel macrocycle complexes in aqueous solutions as a model of some nickel enzyme sites, *Int. Coord. Chem. Conf., Edinburgh, 2000*
19. H. Raznoshik, I. Zilbermann, **E. Maimon**, A. Masarwa, Y. Matana, H. Cohen, D. Meyerstein, Reduction of Alkenes in Aqueous Solutions by Low Valent Transition Metal Complexes, XXXV-th Int. Conf. Coord. Chem., Heidelberg, **2002**
20. D. Shamir, I. Zilbermann, **E. Maimon** and D. Meyerstein, Oxidation of Linear Amines by Ni(III)(1,4,8,11-tetraazacyclotetradecane)(H₂O)³⁺ in Aqueous Solutions, XXXV-th Int. Conf. Coord. Chem., Heidelberg, **2002**
21. E. Shandalov, I. Zilbermann, **E. Maimon**, Y. Nahmani, H. Cohen, E. Adar, D. Meyerstein, The Reduction of a Halo-alkane by Aqueous (Ni^{II}L)⁺ tetraaza macrocyclic complexes. A Kinetic and an Electrochemical Study, XXXV-th Int. Conf. Coord. Chem., Heidelberg, **2002**
22. Y. Taieb-Albo, I. Zilbermann, **E. Maimon**, M. Saphier, H. Cohen, D. Meyerstein, A Novel Cyclam-Type Ligand with Pendant N-Hydroxy-Xylene Moieties and its Transition Metal Complexes, XXXV-th Int. Conf. Coord. Chem., Heidelberg, **2002**
23. E. Shandalov, I. Zilbermann, **E. Maimon**, H. Cohen, D. Meyerstein, Catalytic Reduction of Halo-Alkanes in Aqueous Solutions by Ni(I) Tetraaza Macrocyclic Complexes. A Kinetic and an Electrochemical Study, Inorg. Reac. Mechanism Meeting, Athens, **2004**

24. Y. Albo, I. Zilbermann, **E. Maimon**, M. Saphier, H. Cohen, D. Meyerstein, The Redox Chemistry of Ni(I)-[3-(2-amino-ethylimino)-1,1-dimethyl-butyl]-ethane-1,2-diamine Nickel(II) perchlorate in Aqueous Solutions. A Pulse Radiolytic and an Electrochemical Study, Inorg. Reac. Mechanism Meeting, Athens, **2004**
25. E. Shandalov, I. Zilbermann, **E. Maimon**, H. Cohen, D. Meyerstein, Catalytic reduction of Halo-Alkanes in aqueous solution by Ni(I)-Tetraazamacrocyclic complexes. A Kinetic and an Electrochemical study, 69th Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2004**
26. D. Shamir, I. Zilbermann, **E. Maimon**, D. Meyerstein, Mechanisms of Reaction of Ni(III)(cyclam)(H₂O)₂³⁺ with CH₃NH₂ and (CH₃)₃NH in aqueous solutions, 69th Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2004**
27. H. Raznoshik, I. Zilbermann, **E. Maimon**, A. Ellern, H. Cohen, D. Meyerstein, Reduction of the Allylic substituents in Ni(I) (1,8 - di-2-propenyl- 1,4,8,11-tetraazacyclotetradecane)⁺ by the central Ni(I) in aqueous solutions, 69th Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2004**
28. Y. Albo, I. Zilbermann, **E. Maimon**, M. Saphier, H. Cohen, D. Meyerstein, The redox chemistry of N-[3-(2-amino-ethylimino)-1,1-dimethyl-butyl]-ethane-1,2-diamine Nickel(II) perchlorate-Ni(II)L¹ in Aqueous solution. A pulse radiolytic and electrochemical study, 69th Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2004**
29. R. Bar-Ziv, I. Zilbermann, **E. Maimon**, M. Saphier, H. Cohen, D. Meyerstein, Reactions of alkyl peroxy radicals with metal powders in aqueous solutions. A radiolytic study, 70th Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2005**
30. I. Popivker, I. Zilbermann, **E. Maimon**, Y. Matana, J.E. Koresh, H. Cohen, D. Meyerstein, Reaction of reduced Polyphosphotungstates and polyphosphomolybdates with organic radical in aqueous solutions. A radiolytic study, 70th Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2005**
31. E. Shandalov, I. Zilbermann, **E. Maimon**, H. Cohen, D. Meyerstein, Catalytic reduction of Halo-Alkanes in aqueous solution by Ni(I)-Tetraazamacrocyclic complexes. A Kinetic and an Electrochemical study, 70th Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2005**
32. D. Shamir, I. Zilbermann, **E. Maimon**, D. Meyerstein, Pyrophosphate and ATP as stabilizing ligands for high valent Nickel complexes, 70th Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2005**
33. H. Raznoshik, I. Zilbermann, **E. Maimon**, A.I. Shames, H. Cohen, D. Meyerstein, Preparation and characterization of a Novel Cu(II)tetraazamacrocyclic Complex: Cu(II) (1,8 - di-2-propenyl- 1,4,8,11-tetraazacyclotetradecane)(ClO₄)₂, 70th Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2005**
34. G. Yardeni, I. Zilbermann, **E. Maimon**, J.E. Koresh, H. Cohen, D. Meyerstein, A novel Ce(III)cyclam-Type complex/ Redox chemistry in aqueous solutions, 70th Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2005**
35. D. Shamir, I. Zilbermann, **E. Maimon**, H. Cohen, D. Meyerstein, The Effect of NO on the Kinetics and Mechanisms of Oxidation of Amines and Peptides by Central Ni(III) ions, ICBIC-12, Ann Arbor, U.S., **2005**

36. D. Shamir, I. Zilbermann, **E. Maimon**, H. Cohen, D. Meyerstein, ATP as a stabilizing ligand for high valent nickel complexes, ICBIC-12, Ann Arbor, U.S., **2005**
37. D. Shamir, I. Zilbermann, **E. Maimon**, H. Cohen, D. Meyerstein, The Effect of NO on the Kinetics and Mechanisms of Oxidation of Amines and Peptides by Central Ni(III) Ions, 230-th ACS Nat. Meeting, Washington DC, U.S., **2005**
38. I. Rusonik, E. Shandalov, I. Zilbermann, **E. Maimon**, H. Cohen, D. Meyerstein, Radicals as intermediates in de-halogenation processes, 230-th ACS Nat. Meeting, Washington DC, U.S., **2005**
39. R. Bar-Ziv, I. Zilbermann, M. Saphier, **E. Maimon**, H. Cohen, D. Meyerstein, Reactions of Alkyl Peroxyl Radicals with Metal Powders in Aqueous Solutions. A Radiolytic Study, 24-th Miller Conf. On Radiation Chemistry, Londes Les Maures, France, **2005**
40. G. Yardeni, I. Zilbermann, **E. Maimon**, J. E. Koresh, H. Cohen, D. Meyerstein, A Novel Ce(III)Cyclam-Type Complex. Redox Chemistry in Aqueous Solutions, 24-th Miller Conf. On Radiation Chemistry, Londes Les Maures, France, **2005**
41. I. Popivker, I. Zilbermann, **E. Maimon**, Y. Matana, J. E. Koresh, H. Cohen, D. Meyerstein, Reactions of Reduced Polyphosphotungstates and Polyphosphomolybdates with Organic Radicals in Aqueous Solutions. A radiolytic Study, 24-th Miller Conf. On Radiation Chemistry, Londes Les Maures, France **2005**
42. G. Atlas, I. Zilbermann, **E. Maimon**, Y. Ydgar, E. Korin, A. Rubinstein, A. Shames, A. Bettelheim, Interaction of Ionic Liquids with transition methallons. I. Copper Ions in BmimBF₄, 71st Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2006**
43. Y. Albo, I. Zilbermann, **E. Maimon**, M. Saphier, D. Meyerstein, Design and synthesis of a new chelate for the uranyl ion, 71st Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2006**
44. G. Yardeni, I. Zilbermann, **E. Maimon**, Y. Matana, H. Cohen, D. Meyerstein, The aqueous redox chemistry of Co(II)Dioxocyclam, 71st Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2006**
45. E. Shandalov, I. Zilbermann, **E. Maimon**, D. Meyerstein, Catalytic and electrocatalytic reduction of 3 isomers of Bromobenzoic Acid by Ni(I) tetraazamacrocyclic complexes, 71st Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2006**
46. I. Popivker, I. Zilbermann, **E. Maimon**, Y. Matana, H. Cohen, N. Meyerstein, D. Meyerstein, Tetrathiomolibdate as a radical Scavenger, 71st Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2006**
47. D. Shamir, I. Zilbermann, **E. Maimon**, H. Cohen, D. Meyerstein, The effects of NO on the kinetics and mechanism of oxidation of amine and peptides by central Ni(III)Ions, 71st Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2006**
48. L. Kats, I. Zilbermann, **E. Maimon**, H. Cohen, D. Meyerstein, On the reaction of methyl(pyridine)cobaltoxime with methyl radical, 71st Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2006**

49. L. Kats, I. Zilbermann, **E. Maimon**, H. Cohen, D. Meyerstein, On the Reaction of Methyl(pyridine)cobalt oxide with Methyl Radical, 11-th Tihany Symposium On Radiation Chemistry, Eger, Hungary, **2006**
50. A. Mizrahi, I. Zilbermann, **E. Maimon**, J. C. E. Borjovitch, H. Cohen, D. Meyerstein, On the reaction of Fe(III)EDTA and NO_2^- . A radiolytically induced disproportionation of nitrite, 11-th Tihany Symposium. On Radiation Chemistry, Eger, Hungary, **2006**
51. G. Yardeni, I. Zilbermann, **E. Maimon**, N. Bananou, Y. Matana, H. Cohen, D. Meyerstein, The Aqueous Redox Chemistry of CorrDioxocyclam, 11-th Tihany Symposium On Radiation Chemistry, Eger, Hungary, **2006**
52. I. Popivker, I. Zilbermann, **E. Maimon**, Y. Matana, J. E. Koresh, H. Cohen, D. Meyerstein, Reactions of Reduced Polyphosphotungstates and Polyphosphomolybdates with Organic Radicals in Aqueous Solutions. A Radiolytic Study, EUCHEM Conference on Organic Radicals, Oslo, Norway, **2006**
53. A. Mizrahi, I. Zilbermann, **E. Maimon**, H. Cohen, D. Meyerstein, On the reaction of Fe(III)edtaand NO_2^- a radiolytically induced disproportionation of nitrite, 72nd Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2007**
54. I. Zilbermann, E. Shandalov **E. Maimon**, H. Cohen, D. Meyerstein, Radiolytic and Electrocatalytic dehalogenation processes in aqueous solutions, 72nd Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2007**
55. G. Yardeni, I. Zilbermann, **E. Maimon**, H. Cohen, D. Meyerstein, The aqueous redox chemistry of a novel Ce(III)pyrophosphate complex, 72nd Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2007**
56. I. Popivker, I. Zilbermann, **E. Maimon**, Y. Matana, H. Cohen, D. Meyerstein, On the mechanism of reaction of dodecatungstophosphate with alkyl radicals in aqueous solution, 72nd Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2007**
57. G. Yardeni, I. Zilbermann, **E. Maimon**, H. Cohen, D. Meyerstein, The aqueous redox chemistry of a novel Ce(III)pyrophosphate complex, EYIC – 3rd European young investigators conference, Slubice, Poland, **2007**
58. L. Kats, **E. Maimon**, D. Meyerstein, H-Atom abstraction from hydrides of Rh(III)L by methyl radicals, EYIC – 3rd European young investigators conference, Slubice, Poland, **2007**
59. I. Popivker, I. Zilbermann, **E. Maimon**, Y. Matana, H. Cohen, D. Meyerstein, On the mechanism of reaction of dodecatungstophosphate with alkyl radicals in aqueous solution, EYIC – 3rd European young investigators conference, Slubice, Poland, **2007**
60. I. Popivker, I. Zilbermann, **E. Maimon**, Y. Matana, H. Cohen, N. Meyerstein, D. Meyerstein, On the reaction between Tetrathiomolibdate and NO , 73rd Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2008**
61. D. Shamir, I. Zilbermann, **E. Maimon**, G. Gellerman, H. Cohen, D. Meyerstein, Reductive nitrosation of peptides ligated to high valent metal cations, 73rd Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2008**

62. G. Yardeni, I. Zilbermann, **E. Maimon**, D. Shamir, L. Kats, A.I. Shames, H. Cohen, D. Meyerstein, ATP as a stabilizer of high valent Lanthanide and Transition metal ions, 73rd Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2008**
63. E. Ittah, D. Shamir, I. Zilbermann, **E. Maimon**, A.I. Shames, D. Meyerstein, Pyrophosphate as a stabilizer of Ni(III) ions in aqueous solutions, 73rd Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2008**
64. A. Mizrahi, I. Zilbermann, **E. Maimon**, J. S. Summers, J.B. Baker, C.M. Wilson, J.R. Virga, H. Cohen, D. Meyerstein, Measured rates of Fluoride metal Association correlate with rates of superoxide/metal reactions for Fe(III)EDTA(H₂O)⁻ and related complexes, 73rd Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2008**
65. I. Popivker, I. Zilbermann, **E. Maimon**, Y. Matana, H. Cohen, N. Meyerstein, D. Meyerstein, On the reaction between Tetrathiomolibdate and NO, 38th ICC- International Conference on Coordination Chemistry, Jerusalem, Israel, **2008**
66. I. Popivker, I. Zilbermann, **E. Maimon**, Y. Matana, H. Cohen, D. Meyerstein, On the mechanism of reaction of dodecatungstophosphate with alkyl radicals in aqueous solution, 38th ICC- International Conference on Coordination Chemistry, Jerusalem, Israel, **2008**
67. G. Yardeni, I. Zilbermann, **E. Maimon**, D. Shamir, L. Kats, A.I. Shames, H. Cohen, D. Meyerstein, ATP as a stabilizer of high valent Lanthanide and Transition metal ions, 38th ICC- International Conference on Coordination Chemistry, Jerusalem, Israel, **2008**
68. E. Ittah, D. Shamir, I. Zilbermann, **E. Maimon**, A.I. Shames, D. Meyerstein, Pyrophosphate as a stabilizer of Ni(III) ions in aqueous solutions, 38th ICC- International Conference on Coordination Chemistry, Jerusalem, Israel, **2008**
69. A. Mizrahi, I. Zilbermann, **E. Maimon**, J. S. Summers, J.B. Baker, C. M. Wilson, J. R. Virga, H. Cohen, D. Meyerstein, Measured rates of Fluoride/metal Association correlate with rates of superoxide/metal reactions for Fe(III)EDTA(H₂O)⁻ and related complexes, 38th ICC International Conference on Coordination Chemistry, Jerusalem, Israel, **2008**
70. G. Yardeni, I. Zilbermann, **E. Maimon**, D. Shamir, L. Kats, A.I. Shames, H. Cohen, D. Meyerstein, ATP as a stabilizer of high valent Lanthanide and Transition metal ions, 2nd EUCHEMS- European Chemistry Congress, Turin, Italy, **2008**
71. L. Kats, **E. Maimon**, D. Meyerstein, H- Atom abstraction from hydrides of Rh(III) by methyl radicals, 2nd EUCHEMS- European Chemistry Congress, Turin, Italy, **2008**
72. I. Zilbermann, G. Yardeni, **E. Maimon**, H. Cohen, D. Meyerstein, On the reaction of metal triphosphate complexes with radicals in aqueous solutions, PULS2008 - Conference on pulse radiolysis, Krakow, Poland, **2008**
73. G. Yardeni, I. Zilbermann, **E. Maimon**, H. Cohen, D. Meyerstein, On the reaction of metal triphosphate complexes with radicals in aqueous solutions, 74th Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2009**

74. I. Popivker, I. Zilbermann, **E. Maimon**, H. Cohen, D. Meyerstein, The radical scavenging properties of Tetrathiotungstate, 74th Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2009**
75. I. Popivker, I. Zilbermann, **E. Maimon**, H. Cohen, D. Meyerstein, The radical scavenging properties of Tetrathiotungstate, 26th Miller Conf. On Radiation Chemistry, Keszthely, Hungary, **2009**
76. L. Kats, **E. Maimon**, D. Meyerstein. Substantial Inverse Isotope Effects in the Hydrogen Atom Abstraction from [(L)CIRh-H/D] Macrocyclic Complexes by Methyl Radicals in Aqueous Solutions, 26th Miller Conf. On Radiation Chemistry, Keszthely, Hungary, **2009**
77. L. Kats, **E. Maimon**, D. Meyerstein, Substantial Inverse Isotope Effects in the Hydrogen Atom Abstraction from (L)CIRh-H/D Macrocyclic Complexes by Methyl Radicals in Aqueous Solutions, 10th FIGIPAS, Palermo, Italy, **2009**
78. G. Yardeni, I. Zilbermann, **E. Maimon**, L. Kats, H. Cohen, D. Meyerstein, Redox Reactions of Cerium Complexes in Aqueous Solutions, 75th Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2010**
79. I. Zilbermann, G. Yardeni, **E. Maimon**, L. Kats, H. Cohen, D. Meyerstein, Reactions Of Methyl Radicals with Nitrilotris(methylenephosphonic acid) Complexes in aqueous solutions, 3rd EUCHEMS - European Chemistry Congress, Nuremberg, Germany, **2010**
80. G. Yardeni, I. Zilbermann, **E. Maimon**, L. Kats, H. Cohen, D. Meyerstein, " Reactions of Methyl Radicals with Nitrilotris(methylenephosphonic acid) Complexes in aqueous solutions, 76th Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2011**
81. G. Yardeni, I. Zilbermann, **E. Maimon**, J. Almog, Vasarenes – Novel Ligands for Lanthanides, 76th Meeting of Israel Chemical Society, Tel-Aviv, Israel, **2011**
82. G. Yardeni, I. Zilbermann, **E. Maimon**, L. Kats, H. Cohen, D. Meyerstein, Reactions of Methyl Radicals with Amine Complexes Containing Phosphonate and Carboxylate groups in Aqueous Solutions, 27th Miller Conference on Radiation Chemistry, Tallberg, Sweden, **2011**
83. I. Zilbermann, G. Yardeni, **E. Maimon**, L. Kats, H. Cohen, D. Meyerstein, Reactions Of Methyl Radicals with Nitrilotris(methylenephosphonic acid) Complexes in aqueous solutions, 7th ICCK- International Conference on Chemical Kinetics, MIT, Massachusetts, U.S., **2011**
84. D. Shamir, E. Itah, I. Zilbermann, **E. Maimon**, G. Yardeni, A.I. Shames, D. Meyerstein, "Pyrophosphate as a Stabilizer of Ni(III) Ions in Aqueous Solutions", presented at 14th Asian Chemical Congress, Bangkok, Thailand, **2011**
85. G. Yardeni, I. Zilbermann, **E. Maimon**, L. Kats, H. Cohen, D. Meyerstein, Reactions of Methyl Radicals with Amine Complexes Containing Phosphonate and Carboxylate groups in Aqueous Solutions, 14th Asian Chemical Congress, Bangkok, Thailand, **2011**
86. G. Yardeni, I. Zilbermann, **E. Maimon**, L. Kats, H. Cohen, D. Meyerstein, Reactions of Methyl Radicals with Amine Complexes Containing Phosphonate and

- Carboxylate groups in Aqueous Solutions, 77th Meeting of the Israel Chemical Society , Ramat-Gan, Israel, 2012
87. D. Shamir, E. Ittah, I. Zilbermann, **E. Maimon**, G. Yardeni, A.I. Shames, D. Meyerstein, Pyrophosphate as a Stabilizer of Ni(III) Ions in Aqueous Solutions, 77th Meeting of the Israel Chemical Society , Ramat-Gan, Israel, 2012
 88. A. Mizrahi, O. Paz-Tal, A. M. Akiva, R. Vainer, G. Yardeni, **E. Maimon**, I. Zilbermann, J. Almog, D. Meyerstein, "BTOT - A Novel Ligand for Transition Metal Ions", 77th Meeting of the Israel Chemical Society, Ramat-Gan, Israel, 2012
 89. A. Z. Zehavi, M. Gozin, G. Yardeni, I. Zilbermann, **E. Maimon**, H. Cohen, D. Meyerstein, R. Cacciufo, Synthesis and Characterization of Novel Water Soluble Bimetallic Uranium Complexes, 2nd JRC&IAEC bilateral Meeting, Erice, Italy, 2012
 90. A.Z. Zehavi Cohen, M. Gozin, G. Yardeni, I. Zilbermann, **E. Maimon**, H. Cohen, D. Meyerstein, R. Cacciufo, Synthesis and Characterization of Novel Water Soluble Bimetallic Uranium Complexes, 78th Meeting of the Israel Chemical Society , Tel-Aviv, Israel, 2013
 91. L. Mikhailovich. G. Yardeni, I. Zilbermann, **E. Maimon**, H. Cohen, D. Meyerstein, Mechanisms of Reaction of methyl and ketyl radicals with a copper(II) aminophosphonate complex in aqueous solutions, 78th Meeting of the Israel Chemical Society , Tel-Aviv, Israel, 2013
 92. A. Z. Zehavi, M. Gozin, G. Yardeni, I. Zilbermann, **E. Maimon**, H. Cohen, D. Meyerstein, R. Cacciufo, Synthesis and Characterization of Novel Water Soluble Bimetallic Uranium Complexes, 28th Miller Conference on Radiation Chemistry, Dead Sea, Israel, 2013
 93. L. Mikhailovich. G. Yardeni, I. Zilbermann, **E. Maimon**, H. Cohen, D. Meyerstein, Mechanisms of reaction of methyl and ketyl radicals with a copper(II) aminophosphonate complex in aqueous solutions, 28th Miller Conference on Radiation Chemistry, Dead Sea, Israel, 2013
 94. G. Yardeni, I. Zilbermann, **E. Maimon**, L. Kats, R. Bar-Ziv, D. Meyerstein, H/D kinetic isotope effect as a tool to elucidate the reaction mechanism of methyl radicals with glycine in aqueous solutions, International Conference on Hydrogen Atom Transfer, Monteporzio Catone, Italy, 2014
 95. R. Yanus-Levi, G. Yardeni, I. Zilbermann, **E. Maimon**, M. Saphier, D. Meyerstein, Catalytic Oxidation of (CH₃)₂SO by N₂O Promoted by BH₄⁻ in Aqueous Solutions, 79th Meeting of the Israel Chemical Society, Tel Aviv, Israel, 2014
 96. I. Zilbermann, A. Mizrahi, **E. Maimon**, H. Cohen, D. Meyerstein, **Mechanistic Studies on the Role of [Cu(CO₃)_n]²⁻²ⁿ as a Water Oxidation Catalyst**, 80th Meeting of the Israel Chemical Society, Tel Aviv, Israel, 2015
 97. G. Yardeni, I. Zilbermann, **E. Maimon**, L. Kats, R. Bar-Ziv, D. Meyerstein, H/D kinetic isotope effect as a tool to elucidate the reaction mechanism of methyl radicals with glycine in aqueous solutions, 80th Meeting of the Israel Chemical Society, Tel Aviv, Israel, 2015

(b) Seminar presentations at universities and institutions

1. Chemical properties of transition metal complexes with macrocyclic and linear tertiary polyamine ligands. Chemistry Department, BGU, 2001.
2. Chemical properties of transition metal complexes with macrocyclic and linear tertiary polyamine ligands. Chemistry Department, NRCN, 2003
3. Mechanism of Isomerization of Ni(Cyclam) in Aqueous Solutions. Chemistry Department, NRCN, 2008
4. Comproportionation and Redox Catalyzed Isomerization of Cu(II)(1R,4S,8R,11S-1,4,8,11-Tetramethyl-1,4,8,11-Tetraazacyclotetradecane)²⁺ in Aqueous Solutions., Material science and eng. Dept., University of Maryland, 2011

• Grants:

Principle Investigator in following researches:

- 1998-2004:** Transition metals as catalytic reagents in radiation induced damage (I. Zilbermann, E. Maimon, H. Cohen, D. Meyerstein) - Planning and Budgeting Committee of the Council for Higher education in Israel and Israel Atomic Energy Commission - \$150,000
- 2004-2009:** Reaction of radicals in solids and concentrated solutions (I. Zilbermann, E. Maimon, H. Cohen, D. Meyerstein) - Planning and Budgeting Committee of the Council for Higher education in Israel and Israel Atomic Energy Commission - \$150,000
- 2004-2009:** Novel anion exchangers for the selective extraction of uranium and the redox properties of the latter versus the lanthanide analogues (I. Zilbermann, E. Maimon, H.Cohen, D. Meyerstein)- Planning and Budgeting Committee of the Council for Higher education in Israel and Israel Atomic Energy Commission, \$160,000
- 2009-2014:** New redox – functionlized ligands for the selective determination of environmentally polluting ions. (E. Maimon, I. Zilbermann, M. Gozin) - from Planning and Budgeting Committee of the Council for Higher education in Israel and The Israeli Atomic Energy Commision - \$150,000
- 2010-2015:** Basic Inorganic Chemistry of actinides, lanthanides and transition metal complexes (I. Zilbermann, E. Maimon, R. Caciuffo-ITU, Germany) - JRC European Consortium, \$250,000
- 2015-** : Kinetics and mechanisms of the reactions of secondary radicals with transition metal complexes: Implications for their biological activity (Sara Goldstein, Eric Maimon)- Israel Atomic Energy Commission, \$350,000

•Synopsis of research

1. Synthesis of metallo-cyclam and cyclam-like complexes

The synthesis of aza-macrocyclic compounds received considerable attention because of their relationship to biomimetic and catalytic systems and the applications of this type of chelating agents to biology and medicine. They have applications in modern chemical techniques such as magnetic resonance imaging, imaging with radioisotopes and radiotherapy, i.e. techniques where metal complexes with extreme kinetic and thermodynamic stability toward metal release are required. There has been a particular interest in the preparation and characterization of coordination compounds with aza-macrocyclic ligands with pendant substituents for the reasons given above. The complexation properties of polyaza-macrocycles are governed mainly by the macrocyclic ring size.

N-Functionalization of these macrocycles may enhance their metal-ion selectivity and the stability of metal complexes depending on the coordination properties of the pendant arms. The systems considered in my research are essentially restricted to macrocyclic or polydentate ligands (most of them saturated) preferentially containing nitrogen atoms and pendant arms. An important characteristic of aza-macrocyclic compounds is the existence of multiple equilibria between species in solution. Indeed, aza-macrocyclic ligands with a saturated framework are basic compounds which undergo multiple N-aza protonation reactions. Introduction of pendant groups (N-pendant) in the ligand, e.g. NR, NR₂, NRCONH₂, etc., loses or adds one additional site that might be protonated. Interactions via nitrogen atoms with the media would be lost depending on the number of the protonable N-pendant groups introduced. The presence of this kind of pendant groups also induces additional inter- and intramolecular equilibria exchanges, intramolecular bonds, coordination ability and selectivity for ionic monoatomic species, stereochemical, structural and conformational exchanges in the complexes among others changes. We studied several such systems mainly based on cyclams and cyclam like ligands. Most of the complexes studied contained Ni(II)[6,8,9,13,14,15,17,18,20,27,29,31,35,36], Cu(II)[3,4,19,29] but also Co(II)[28]; Ce(III)[23] and Rh(III)[25]. We synthesized all the complexes either by multi-step synthesis (the ligand first) or by one pot template synthesis. The ligands and/or the complexes were characterized by elemental analysis, NMR, MS, ESI-MS, IR and UV-vis techniques. The nature of the pendant arms substituted on the ligating nitrogens stabilized thermodynamically either low valent species (Ni(I); Cu(I); Co(I)) in the case of loss of hydrogen bonds or high valent species in the case of extended hydrogen bonds (Ni(III); Cu(III); Ce(IV)) or further ligation provided by hydrophilic charged pendant arms (Ni(III)).

2. Analytical characterization and study of redox properties of transition metal complexes in aqueous solutions

The complexation properties of polyaza-macrocycles are governed mainly by the macrocyclic ring size. *N*-Functionalization of these macrocycles may enhance their metal-ion selectivity and the stability of metal complexes depending on the coordination properties of the pendant arms. The systems studied by me are essentially restricted to macrocyclic or polydentate ligands preferentially containing nitrogen atoms and pendant arms. Properties of the compounds considered were mainly restricted to UV-vis, NMR, ESR and IR spectroscopy, electrochemical and chemical characterizations of the systems and reactions with oxidizing/reducing radical species produced mainly by radiation chemistry techniques as well as electro-activation of small molecules, i.e. O₂ and NO. Fast kinetics were measured using pulse radiolysis and stopped flow techniques.

Some examples will be emphasized below:

a. Qualitative studies based on molecular models described the five possible conformational isomers (trans-I-trans-IV, cis V) of planar complexes of the "classic" macrocyclic ligand system, cyclam. Of the five possible configurational isomers of [Ni(cyclam)]²⁺, it has long been supposed that the transIII configuration is the most stable one.

The isomerization of the macrocyclic frame bound to the nickel ion both in the +1 and +3 oxidation states of the metal was also reported. Isomerization leads to an equilibrated mixture of a ca. 1:3 ratio(trans I: trans III) in aqueous solutions over a period of several hours. The isomerization process could in principle proceed via one of the following mechanisms: a) deprotonation of one of the coordinated amino groups followed by inversion b) cleavage of the Ni-N bond followed by inversion. In order to differentiate between these mechanisms, it was decided to see whether the isomerization is accompanied by proton exchange of the N-H groups with the solvent. For this purpose ¹H-NMR experiments were carried out in order to see whether the N-H groups are transformed into N-D groups when the oxidation reaction is carried out in D₂O. This study used the pulse radiolysis technique as well in order to characterize (UV-vis detection) the transients involved in the isomerisation processes. The following conclusions were derived:

- i. Detachment of the Ni-N bond and inversion presumably via the cis-V isomer. This mechanism is relevant to low valent nickel complexes[13,14] and seems to occur in general for tetramethyl alkylated cyclam complexes as was also observed for copper[4].
- ii. Deprotonation of coordinated N-H and inversion, presumably also via the cis-V isomer. This mechanism seems to be relevant to high oxidation state complexes. This mechanism explains the reason for a faster isomerization

step in the case of nickel for the trivalent complex vs. the divalent complex.
[13,14]

b. We and others have shown that nickel(II) complexes, with macrocyclic ligands, are reduced reversibly to relatively stable nickel(I) species in aqueous solution.[14] The redox potentials and lifetimes of the Ni(I) complexes are affected mainly by three factors: 1) substitution on the macrocyclic ring (especially on the nitrogens); 2) ring size and 3) saturation of the macrocyclic ring. Thermodynamic and/or kinetic stabilization of the monovalent nickel complexes is achieved by N-alkylation of the macrocyclic ligands.[14] As such we decided to study the effect of the redox potential, and plausibly of steric hindrance, of the cyclam and cyclam substituted nickel complexes on the rate of dehalogenation and on the detailed mechanism of the process. The C-substituted and the N-substituted tetraazamacrocyclic ligands were chosen as they affect both the redox potential of the central cation and impose different steric strains on the complex and on the approach of the substrate to the central nickel cation.

Using electrochemistry and pulse radiolysis we elucidated the mechanism of the electrocatalytic debromination processes with the studied complexes. The rate of the debromination to yield bromide and the dehalogenated complex depends mainly on the redox potential of the Ni^{II/I} couple increasing with the free energy gain in the reaction. We proposed that studied nickel complexes may be bound to modified electrodes, and might be useful as electrocatalysts for the dehalogenation of aliphatic halo-organic compounds.[8] Surprisingly using pulse radiolysis in the very same study we have shown that formate radical dehalogenates (CH₂Br)₂C(CH₂OH)₂ in a radical-induced catalytic process, i.e. formate acts via a hydrogen-atom-transfer mechanism. This process was studied in detail in a subsequent work[10].

c. Ni(II) and Co(II) complexes, with suitable macrocyclic ligands, are reduced reversibly to relatively stable nickel(I) and cobalt(I) species, respectively, in aqueous solutions. Nickel(I) macrocyclic complexes have attracted considerable attention because they enable the electrocatalytic reduction of alkyl halides, see above.

Cobalt(I) complexes are used in catalytic reductions including those analogous to B₁₂.

As such in one of our studies we decided to study the mechanisms of reduction of maleate and fumarate by Ni(I)cyclam using the pulse radiolysis technique. The results differ significantly from one substrate the other in spite of their similarity. The difference is shown to be mainly due to the fact that the radical anions formed in the reduction of both substrates have different characteristics due to the strength of the hydrogen bond in the radical anion of the maleic acid. The reactions observed are attributed to the equilibrium reactions between the radiolytically produced Ni(I) species and maleate or fumarate in the solution which produced Ni-alkene (d- π) complexes in analogy to a previously studied Ni(I)-ethylene system[27].

In a subsequent study we decided to investigate whether the reduction of alkenes is a general reaction of low valent tetra-aza transition metal complexes. In this study, the

reactions of substituted cyclam complexes of Co(II) with maleate was investigated by pulse radiolysis. The mechanism observed in the Co-maleate systems is similar to that observed in the nickel system [27] in that initially maleate forms a d- π complex with the central metal cation. It differs from that observed for the nickel system in that the yield of succinate (main product) is considerably lower in the cobalt system. This is expected due to the differences in redox potentials of the M(II/I) couples of the studied complexes. The results point out that the monovalent complexes investigated, formed by the pulse radiolysis method or by γ radiation, react with maleate to form the complex M(I)-maleate (M=Ni or Co) in an equilibrium reaction. From this intermediate, there are different pathways and different end products depending on the central metal cation and the different ligands of the complexes. The Co(I) complex reduces less maleate than the Ni(I) complexes as several side reactions occur producing molecular hydrogen.[28]

d. Tetraaza macrocyclic transition metal complexes were shown to activate chemically or electrochemically small molecules of general interest (biologically, industrially, environmentally) like NO, O₂, CO₂ etc.

The role of NO in a variety of physiological processes renders its reaction mechanisms with species present in biological media of importance. Of special interest are nitrosation processes that are involved in signalling and pathological processes as well as in buffering the concentration of NO in the cell.

It is well known that Ni(III)L, L = 1,4,8,11-tetraazacyclotetra-decane complexes are stabilized by axially bound pendant primary amine groups, which are covalently linked to the macrocyclic frame. However, we have shown that Ni(III)(cyclam), Ni^{III}L, oxidizes methyl amine via a radical mechanism involving an intermediate with a radical on methyl amine nitrogen [9]. As NO is a radical as well and may induce either nitrosation or bind to Ni(III) and reduce it, we decided to check the mechanism of reaction. The results obtained by using stopped flow to follow up the kinetics and performing product analysis by ¹³C NMR and ESI-MS showed that the mechanism involved is the following:

Reaction of NO with the ligand bound to the central cation (Ni^{III}), the former having a lone electron pair situated on the atom ligated to the cation. This process often requires proton loss to form the lone pair [17]. Reactions of this type were previously attributed to attack of NO on the lone pair followed by electron transfer. This very mechanism was confirmed by a later study of ours to be more general for nitrosation of peptides by Ni^{III}glyglygly; Cu^{III}glyglygly, Fe^{III}glyglygly and their alaglygly analogues. The rate constants were found to be dependent on the redox potentials of the M^{III/II} [20].

In a different study we have looked at the interaction of a non saturated tetraaza macrocycle complex namely Ag(II) tetraphenylsulfonate porphyrin with NO [4].

The silver complex was electrochemically precipitated on glassy carbon and gold electrodes. Electrochemical quartz crystal microbalance (EQCM) results indicated the formation of an Ag(II)-Ag(III) porphyrin dimer species. The films thus formed catalyze

NO reduction at relatively high-reduction potentials ($E < 0.4$ V vs. SCE). The electrochemical results seem to indicate that the catalytic cycle in the case of NO involves formation of Ag(II)TPPS–Ag(II)TPPS(NO⁺) and its electroreduction to regenerate Ag(II)TPPS–Ag(III)TPPS and NO-reduction products. The films also showed catalytic behavior toward O₂ reduction at relatively low potentials ($E < -0.1$ V vs SCE)[4].

3. Design of electron-exchange columns

In recent years functionalized silica and sol–gel-silica have attracted considerable interest due to their high porosity, matrix rigidity and the versatility of the functional groups that can be attached to and/or entrapped in the matrix. Therefore they serve as key materials in various fields such as catalysis, optics, electrochemistry, separation and biology. Many of these applications require binding of a transition metal complex to the functional groups. Therefore, in these cases, the functional group has to contain a good chelating ligand. Poly-azamacrocyclic ligands, especially cyclam (1,4,8,11-tetraazacyclotetradecane), form very stable complexes with many transition-metal ions and stabilize complexes with uncommon oxidation states[3,4,6,8,9,13,14,17-19,23,27-29,36]. In principle the ligand, or the complex, can be immobilized onto a sol–gel matrix either by entrapment or by covalent binding. The entrapment of a macrocyclic ligand often occurs in pores that sterically hinder the binding of the metal cation in the plane of the ligand. Entrapment of the ligand and/or the complex is often accompanied by slow loss of the entrapped species by elution. Therefore covalent binding is preferred. In principle entrapment of a strong reversible redox reagent in a stable sol–gel matrix would yield an optimal electron exchange column. Such columns will react by oxidizing or reducing a desired substrate operating in a mode analogous to ion exchange columns. Recently, we have shown that nickel-complexes with tetraazamacrocyclic ligands (nickel-cyclam nickel-trans-III-meso-5,7,7,12,14,14-hexamethyl-1,4,8,11-tetraazacyclotetradecane;nickel-1-propyl-1,3,5,8,12-pentaazacyclotetradecane) may be entrapped in silica-sol–gel matrices by the biphasic method, i.e. noncovalent entrapment of the complex in the matrix. Electron exchange columns from these materials were shown to operate with relative high efficiency via the Ni^{3+/2+} redox couple [31;35].

4. Synthesis and characterization of biorelevant molecules with medical use

There is a growing interest in developing simple and accurate techniques for the determination of the antioxidant properties of biological samples, especially of blood, as it reflects different oxidative stresses in the body. It was found that stable nitroxide radicals (NRs) are reduced by blood and some other biological materials, to the corresponding hydroxylamines. This reduction process can be followed by EPR spectroscopy. The kinetics of the nitroxides disappearance, thus measured, provide useful biochemical and biophysical information about the antioxidant properties of biological systems. Most NRs are reduced by ascorbate and not by other biological antioxidants. Therefore, NRs were used as models of persistent radicals to study the antioxidant function of ascorbate in human erythrocytes.

In one of my studies in collaboration with physicians colleagues[7], I synthesized the metastable nitroxide radical: R^{\bullet} = 5-dimethylaminonaphthalene-1-sulfonyl-4-amino-2,2,6,6-tetramethyl-1-piperidine-oxyl. The kinetics of reduction of the radical R^{\bullet} by blood and its components were studied using the EPR technique. The results demonstrate that R^{\bullet} is adsorbed to the outer surface of the membrane and does not penetrate into the erythrocytes. A series of control experiments in PBS demonstrate that ascorbate is the only natural reducing agent that reacts with R^{\bullet} . The results demonstrate that:

- a. The erythrocytes catalyze the reduction of R^{\bullet} by ascorbate.
- b. The rate of reduction of the radical is high though it does not penetrate the cells.
- c. In human erythrocytes there is an efficient electron transfer route through the cell membrane.
- d. The study points out that R^{\bullet} is a suitable spin label for measuring the reduction kinetics and antioxidant capacity in blood as expressed by reduction by ascorbate[7].

Another study performed by me in collaboration with physicians and nuclear physicists, this time during my sabbatical at Maryland University, regarded the synthesis and use of a drug to be used for prostate cancer therapy[37].

According to the American Cancer Society, prostate cancer is the most frequently diagnosed cancer and the second leading cause of cancer death in men. Because of this, the development of new therapy options involving targeted drug delivery to improve the efficacy of prostate cancer treatment is essential and has recently gained momentum in the field of boron neutron capture therapy (BNCT). BNCT is a binary radiation cancer treatment with potentially significant therapeutic advantages compared to conventional chemical and radiation therapies. The treatment is based on specific cell killing by neutron irradiation of cancer cells that have been preferentially loaded with ^{10}B . The reaction between a thermal neutron and ^{10}B produces high-linear energy transfer (LET) α particles and ^7Li nuclei with high probability because of the large thermal neutron absorption cross section of ^{10}B . These high-LET particles impart their energies within a $9\mu\text{m}$ range. Because this distance is on the same scale as a typical cell diameter, the particles are theoretically capable of fatally damaging cells containing the ^{10}B while leaving neighboring cells unharmed. The aim of targeted drug therapy is to selectively deliver drugs to cancer cells while minimizing uptake in surrounding normal cells. In recent years, a number of promising BNCT agents have been developed to improve biodistribution through synthetic chemical and biochemical-biophysical strategies. Amongst the broad range of targeting strategies, liposome-based delivery of hydrophilic and hydrophobic boron-containing compounds has provided promising results.

The cholesteryl ester of carborane (BCH), a boron-containing cholesteryl ester was synthesized by me and its efficacy as a boron neutron capture therapy (BNCT) agent for the targeted irradiation of PC-3 human prostate cancer cells was examined. The results showed that BCH delivery by means of encapsulation in a lipid bilayer resulted in a relative high boron uptake with minimal cytotoxic effects. PC-3 cells treated with BCH and exposed to a thermal neutron fluence yielded a 20 – 25% decrease in clonogenic capacity. The decreased survival is attributed to the generation of high-LET α particles and ^7Li nuclei that deposit energy in densely ionizing radiation tracks.

The main conclusion was that liposome-based delivery of BCH is capable of introducing sufficient boron to PC-3 cells for BNCT. High-LET α particles and ^7Li nuclei generated from ^{10}B thermal neutron capture significantly decrease colony formation ability in the targeted PC-3 cells[37].

Proposed reviewers:

Israel:

1. Prof Moris Eisen- Schulich Faculty of Chemistry Technion.

E-mail: chmoris@tx.technion.ac.il

2. Prof. Sara Goldstein- Head of the Accelerator Laboratory Institute of Chemistry,
Hebrew University of Jerusalem.

E-mail: sara.goldstein1@mail.huji.ac.il

3. Prof. Armand Bettelheim - Chemical Eng. Dept., Ben-Gurion Univ.
E-mail: armandb@bgu.ac.il
4. Prof. Michael Gozin- School of Chemistry Tel-Aviv University
E-mail: cogozin@mgchem.tau.ac.il
5. Prof. Dan Meyerstein- Chemistry Dept., Ben-Gurion Univ. and Biological Chem.
Dept. Ariel Univ.
E-mail: danmeyer@bgu.ac.il
6. Prof. Haim Cohen- Chemistry Dept., Ben-Gurion Univ. and Biological Chem. Dept.
Ariel Univ.
E-mail: hcohen@bgu.ac.il

Abroad:

1. Prof. Dr. Dirk M. Guldi, Friedrich-Alexander-Universitat Erlangen-Nurnberg, Institute for Physical Chemistry, Egerlandstr. 3, 91058 Erlangen, Germany. Phone: 01149-(0)-9131-8527340, Fax: 01149-(0)-9131-8528307.
E-mail: dirk.guldi@chemie.uni-erlangen.de
2. Prof. Mohamad Al Sheikhly, Director, Radiation Facility and Nuclear Reactor. Director, Biophysical & Polymer Radiation Lab, Department of Material Science & Nuclear Engineering, University Of Maryland. Phone: 001-301-405-5214.
E-mail: mohamad@umd.edu
3. Prof. Dianne Poster National Institute of Standards and Technology, 100 Bureau Drive MS 6000, Gaithersburg, Maryland, USA
E-mail: dianne.poster@nist.gov